AUTOMATED EXTERNAL DEFIBRILLATORS (AED)

The Ephrata Board of Directors recognizes that equipping schools with automated external defibrillators (AEDs) and training employees in their use, increases the potential to save lives in the event of a health emergency, including cardiac arrest. The Board authorizes the district to place AEDs at designated school sites. The Washington State Department of Health (DOH) requires that any person using an AED receive training. Therefore, schools and district facilities with an AED on site will designate and train selected staff in the use of AEDs according to the DOH guidelines. Student instruction in cardiopulmonary resuscitations, to include appropriate use of any AED, will occur in at least one health class necessary for graduation.

This policy does not create any implied or express guarantee, or obligation to use an AED, nor does it create an expectation that an AED or a trained employee will be present and able to use an AED, even if a condition arose that made the use of an AED beneficial.

A person who uses an AED at the scene of an emergency and all other persons and entities providing services are immune from civil liability for any personal injury that results from any act or omission in the use of the AED in an emergency setting, unless the acts or omissions amount to gross negligence or willful or wanton misconduct.

The superintendent will develop procedures for the placement, maintenance, and use of AEDs in schools.

Cross References: 2410 – High School Graduation Requirements

Legal References: Chapter 28A.230 RCW Compulsory Coursework and Activities

RCW 4.24. 300 Immunity from liability for certain types of

medical care

RCW 70.54.310 Semiautomatic external defibrillator – Duty

of Acquirer-Immunity from Civil

Liability

Management Resources: Policy News, August 2018

Policy News, September 2013

Policy News, April 2011 Legal Aspects of Defibrillator Use Defined

First Reading 1.19, Second Reading 2.19

Adoption Date: 1.23.12

Revised: 04.11; 12.11; 9.13; 8.18